Nelson, Bettie L

From: Roethig, Hans
Sent: Tuesday, December 18, 2001 5:42 PM
To: 'Michael Szwanek (402)437-4880'
Cc: Nelson, Bettie L; Kinser, Robin D.; 'Bob Earl'
Subject: RE: Markers

Sensitivity: Confidential

Dear Mike,
For Acetonitrile in blood or exhalate it is not yet clear, if we do it. After we have made the decision I will let you know all the details. We are awaiting results from a study soon to see if we are getting numbers to generate reasonable information.
3-OH-PMA in urine is presently under method development at MDS, so Vini and Kirk may answer your question.
Best regards
Hans

—Original Message—
From: Michael Szwanek (402)437-4880 [SMTP:Michael.Szwanek@mdsps.com]
Sent: Tuesday, December 18, 2001 3:55 PM
To: Hans-Juergen Roethig
Cc: Bill Tracewell
Subject: Markers
Sensitivity: Confidential

Hans,

I noticed a couple of markers on your outline that were not in the previous study. These are acetontrile in blood and 3-hyroxyproylmercapturic acid in urine. Do you know the specifics on analytical requirements for these--amount of blood/urine required, blood tube type required, and who will do the analysis? Should we include these in the introduction?

Also, could you please verify my assumptions on the following blood markers as some are not listed in your outline?

Carboxyhemoglobin-yes
Cotinine-yes
Platelet factor IV-yes
V Willebrand Factor-yes
LDL-, HDL-, Cholesterol-yes
Hematology-yes
Total Bilirubin-yes (drawn under fasted conditions in the morning?-We had some discussion about whether morning or evening draw would be best but don't think we made a decision)
Factor VII-yes
Leukotriene B4-yes
Triglycerides-yes (morning of Glutose Tolerance?)

C-reactive protein-NO
fibrinogen-NO

Thanks,

Mike

PM3006378786

Source: https://www.industrydocuments.ucsf.edu/docs/rqkj0001